















619.429.9800

www.acmebag.com

EROSION CONTROL

LANDSCAPE

CONSTRUCTION

AGRICULTURE

SPECIALTY
PRODUCTS

PRODUCT CATALOG





WAREHOUSE LOCATIONS





CORPORATE HEADQUARTERS
5593 FRESCA DRIVE
LA PALMA, CA 90623







(619) 429-9800











(800) 287-2247 www.sacbag.com



(800) 287-2247 www.VacOPackusa.com



National Minority Supplier

Development Council

www.acmebag.com OUR HISTORY:

ACME Bag Company Inc. is made up of a collection of *legacy* Companies, who all play leading roles in the wholesale supply of quality Agricultural, Industrial, Food Grade packaging products *and* Construction, Landscape, and Erosion Control fabrics and materials.

Each of our company entities, operates *independently*, but coordinates and mutually shares Inventory, Warehouse facilities and Distribution services.

This preserves the heritage and unique identity of each company.

OUR MISSION:

To continue a proud tradition of more than 100 years supplying quality burlap, Poly Woven bags, FIBC Bulk Bag totes, Construction & Erosion control products -- across a broad spectrum of Agriculture, Food, Industrial, Construction and Environmental sectors.

OUR PROMISE:

To always provide product quality that we can stand behind, while making your business our top priority!

OUR CAPABILITIES:

We keep a large inventory of products across the Industrial, Agriculture, Construction, Landscape, Erosion Control, Bulk Bag and PP Woven product sectors.

Locations: California – Anaheim, Chula Vista - San Diego, Woodland - Sacramento – service all Western State clients, and then with Acme's shared ownership of Cherokee Bag Co.'s – Mid-West, Northern, and Southern States.

We are easily capable of being your Local and National supplier of all products shown in this catalog.

Our staff, all with vast industry knowledge and experience, will guide you with expert product advice that will get your job done!

Our pricing is very competitive as our manufacturing and shipping volume justifies lower production and freight costs, that we pass along to customers like you.

CERTIFIED MINORITY SUPPLIER:

ACME Bag Company Inc. has met the requirements for certification as a bona fide Minority Business Enterprise as defined by the National Minority Supplier Development Council, Inc.® (NMSDC ®) and as adopted by the Pacific Southwest Minority Supplier Development Council.

Classification: NAISC Code 424990 Certificate Number: SC33416

CERTIFICATIONS STATUS:

All ACME Bag Co products, designed and manufactured for its customers, are made within the scope of applicable global compliance criteria.

Standards such as those required by the International Standards Organization (ISO), the Global Food Safety Initiative (GFSI), and the British Retail Consortium (BRC) - for Global Food Grade compliances.

Our mills are certified on the basis of these compliance criteria for quality, health, safety and environmental management systems (ISO), hygiene management for foodstuffs packaging and chain of custody.

After verifying these standards, Bureau Veritis has issued ACME Bag Co certification as being in full compliance with ISO, GFSI and BRC requirements in the design, manufacturing, supply and distribution of FIBC, Bulk bags – of all types, Poly Woven, BOPP, PE and Poly Propylene products.

For communications regarding certification, compliance for audit purposes, please contact: Compliance@acmebag.com

SUSTAINABILITY OBJECTIVES:

We believe that our business objectives can only be achieved through practices that are based on the principles of long term sustainable development.

All products that we make have the advantage of being recyclable, whether a repeated use or 2nd life use, or as a new life conversion, into an entirely new product.

We also believe in Stewardship of Forests and engage only manufacturers that have sustainable replanting programs in place.

We have made a lot of progress in our objectives and our unequivocal commitment is to continue to strive to improve in everything we do.





ww.acmebag.com











(800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com

(800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacQPackusa.com

PRODUCT LIST

Sand Bags:

- 14" x 26" UV PP BAG w/tie
 (2000 Hours UV) 1000/Bale
- 14" x 26" 10 oz Burlap Bag w/tie (1000/Bale)
- 50 lb & 100 lb Burlap & Poly Bags (Various sizes)

Erosion Control Fabric:

- Rice Straw Wattles/Bio Wattles
- Jute Mesh Erosion Cloth (Soil Saver)
- Straw & Coconut Blankets
- Excelsior Blankets
- Silt Fence (3' x 100') w/stakes or fabric only
- Basin Bags/Drain Doughnut
- Sod Staples of all gauges (also galvanized)

Gravel Bags & Snake Bags:

- 14" × 26" Yellow & 17" × 28" Orange Gravel Bags; 11" x 750', 11" x 48' Snake Bag Rolls
- Non-Woven Filter Bags
 4 oz & 8 oz Fabric Bags, available in 16" x 24" & 18" × 30" size
- Dewatering Bags: 3'x 4,' 4'x 6,'6'x 6,'6'x 10'

Landscape Fabrics:

- Woven, 3.2 oz Ground Cover
- Non-Woven Filter Fabrics Full-size & cut rolls
- 7' x 7' Burlap sheets (500/Bale)
- 7' x 7' Poly sheets (250/Bale)
- Woven Ground Covers 3', 4', 6' x 300'
- Spun Bond Fabrics (various sizes)

Construction Fabrics:

- Geo-Textile Fabrics
- Non-Woven/Woven Fabrics
- Burlap Cloth 40", 72" & 12 Ft width in various length
- Orange Safety Fence 4' x 100' 11.5 lb Standard weight and CAL TRANS 14 lb weight
- Privacy Screening 6' x 300' & 6' x 50'
 (Panels Hemmed & Grommet every 2')
- Wood Stakes for Wattles & Silt Fences

Miscellaneous Fabrics & Supplies:

- Fiber Glass Rolls/WPP Rolls
- Poly Sheeting 20' x 100'; 6 mil or 10 mil;
 Clear or Black

Agriculture & Bulk Packaging Products:

 PP Woven Bags, FIBC Bulk Bags, Leno Mesh & Baler Bags, Burlap Bags, etc.

NOTE: Our catalog features companies – Baron Bag & Erosion Supply Co, and Sacramento Bag Co, who are both leading wholesalers in Erosion Control, fabrics for storm water compliance (NPDES), Construction Fabrics, Fencing and Landscaping needs. Call them directly for information, technical support, specification sheets or advice on the proper products for your project.





www.acmebag.com











(800) 562-6055 www.baronbagsupply.com

Our Mission & Certified Minority Supplier 1, 41

Product List2

(866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacOPackusa.com

TABLE OF CONTENTS

Erosion Control
Natural Erosion Products4
Natural Blankets & Straw Blankets6
Coconut Blankets7
Rice Straw Wattle8
Erosion Control Products9
Jute Products10
Construction
Construction Products12
Silt Control13
Orange Barrier Fence (Perimeter Fence)15
Woven Silt Fence Fabric16
Non-Woven Filter Fabrics17
Woven Construction & Traffic Fabric18
Woven Polypropylene Sand Bags19
Burlap Sand Bags20
Snake Bags21
Gravel Bags22
Construction Fencing - Privacy Screens23

Basin & Dewatering Bags.....24

Landscape


Landscape Products	25
Burlap & Poly Sheets; Woven Ground Covers	26
Woven & Non-Woven Ground Covers	27
Spunbond Filter Fabric and Specs	28
Wire Products and Wood Stakes	29

Bulk Bags

Introduction of Bulk Bags	30
Bulk Bags & Options	32
Sizes and Capacity Utilization	33
Burlap Bags & Agriculture Packaging	34
Leno Mesh Bags / Produce Bags	35

Specialty Bag Products

Sand Bags, Emergency Flood Bags & Kits, Nylon Filtration Bags (custom sizes), Wine Bottle & Picnic Totes (printed or plain)......39













www.acmebag.com











www.baronbagsupply.com www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacQPackusa.com

NATURAL EROSION PRODUCTS

EROSION CONTROL

COIR MATTING







WOOD EXCELSIOR BLANKET



STRAW BLANKET



8X112.5

BIO-STRAW BLANKET



8X112.5

COCO-STRAW BLANKET



COCONUT BLANKET



8X112.5

BIO-COCONUT BLANKET



8X112.5













www.VacQPackusa.com




(800) 562-6055 www.baronbagsupply.com

(866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

NATURAL EROSION PRODUCTS

PERMAMAT STABILIZATION BLANKETS - 8 / 10 / 12 oz.



EROSION CONTROL

JUTE, STRAW & WOOD EXCELSIOR LOGS







JUTE: SOILSAVER

STRAW

WOOD

STRAW WATTLES Bio & Standard Options



9" and 12" dia.





ww.acmebag.com











(800) 562-6055 www.baronbagsupply.com

(866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

www.VacQPackusa.com

NATURAL BLANKETS

Coir, coir/straw, and straw blanket usage has become very common among professionals in various

EROSION CONTROL

industries due to its versatility. Coir (coconut fiber) is an abundant, renewable natural resource with an extremely low decomposition rate and a high strength compared to other natural fibers. Our CC-4 100% coir blanket is designed to hold seeds and soil in place for severe 1:1 or greater slopes and as channel lining until vegetation is established.

The SC-3 30% coconut and 70% straw are used to control erosion on 2:1-1:1 slopes and is designed to handle medium flow in discharge channels and areas where protection is needed for more than one season. The SS-2

100% straw blankets are designed to last about 10 months on 3:1-2:1 slopes with moderate discharges of water channels.

STRAW BLANKETS

Made with 2 nets, the SS Blanket will provide protection up to 12 months, and is designed for moderate flow channels and slopes up to 2:1. The double netting ensures more efficient erosion protection and plant growth than the single layer of netting.

Top Net: Accelerated Light Weight Photodegradable Polypropylene **Bottom Net:** Accelerated Light Weight Photodegradable Polypropylene

Thread: Degradable

Permissible Shear Stress: 2.05 PSF (98 Pa)

Specifications of Straw Blankets —SS2

TABLE 1

Tested Property	ested Property Test Method Value		Units
Tensile Strength	ASTM D6818	4.9 (MD), 8.3 (TD)	lb/in
Elongation	ASTM D6818	20.4 (MD), 43.5 (TD)	%
Mass per Unit Area	ASTM D6475	8.2	oz/yd²
Thickness	ASTM D6525	8.0	mm
Light Penetration	ECTC TASC 00197	13	% open
Water Absorption	ASTM D1117	308	%

TABLE 2

Property	Dimensions
Top Net	Synthetic Photo- degradable
Bottom Net	Synthetic Photo- degradable
Top Net Opening	0.50" x 0.63"
Bottom Net Opening	0.50" x 0.50"
Roll Width	8.5 ft
Roll Length	112.5 ft
Roll Weight	51 lbs





ww.acmebag.com











(800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com

(800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacQPackusa.com

ECC-2 COCONUT DOUBLE NET BLANKET

Made with 100% coconut fiber, the CC4 is an excellent choice for steep embankments, landfill side slopes and high-flow channels. The blanket is slow to degrade, providing the most extended temporary erosion control available

The properties of the coconut matrix provide long-lasting erosion protection and the highest level of performance protecting slope installations from rainfall and rain splash.

EROSION CONTROL

Description:

We supply a full line of Rolled Erosion Control Products (RECPs).

CC-4 consists of a machine produced, clean coconut fiber matrix, manufactured to consistent width and length. The coconut matrix is confined by a photodegradable, synthetic net on top and bottom, mechanically (stitch) bound on two inch centers. CC-4 provides short term erosion protection and is intended for slope or channel applications requiring up to thirty-six months of functional longevity.

Specifications:

Each roll of CC-4 is manufactured under the Quality Assurance Program to ensure a continuous distribution of fibers and consistent thickness. Verified values are provided in Table 1 and product characteristics are provided in Table 2. Installation instructions and performance data are available.

TABLE 1

Tested Property	Test Method	Value	Units
Tensile Strength	ASTM D6818	21.7 (MD), 19.1 (TD)	lb/in
Elongation	ASTM D6818	29.6 (MD), 25.6 (TD)	%
Mass per Unit Area	ASTM D6475	8.4	oz/yd²
Thickness	ASTM D6525	6.4	mm
Light Penetration	ECTC TASC 00197	17	% open
Water Absorption	ASTM D1117	263	%

This chart has been developed to provide the characteristic properties of the product described. The information provided has been verified correct and represents the expected values for each roll of CC-4. For questions and to request performance data or installation recommendations, contact Baron Bag (800) 562-6055 or Sacramento Bag (800) 287-2247.

TABLE 2

Property	Dimensions
Top Net	Synthetic Photo- degradable
Bottom Net	Synthetic Photo- degradable
Top Net Opening	0.75" x 0.75"
Bottom Net Opening	0.75" x 0.75"
Roll Width	8.5 ft
Roll Length	112.5 ft
Roll Weight	55 lbs





ww.acmebag.com











(800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com (800) 287-2247 www.VacQPackusa.com

RICE STRAW & BIO WATTLES

Sediment Retention Fiber Rolls

EROSION CONTROL

The straw wattle is excellent for use on check dam's perimeter control, and as a silt fence replacement. This lightweight product is designed to provide two methods of sediment removal. First by letting sediment settle, then flow-through filtration allows for additional sediment removal. Easy installation with minimal trenching needed. Available in various and custom lengths.

Straw & Bio Wattles are used around culverts or along the edge of a sidewalk to filter and slow water flows into the culvert. Install wattles in a prepared contoured concave trench 2 to 4 inches deep along the proposed installation route. This helps prevent water undercutting the roll. Drive stakes on alternating sides of the roll. When more than one roll is used, they should be butted up end to end and not overlapped.

All wattles are machine produced with certified noxious weed free rice straw, compacted in a continuous photo-

degradable netting material creating consistent densely filled Pre-manufactured Fiber Rolls.

Installation recommendation: Fiber rolls to be installed in a 2 - 3" trench, held down by driving wood stakes perpendicular to the ground. 9×25 '

Property	Test Method	Units	Min. Value
Mass per Unit Weight	Field Measured	(lbs/ft) / (kg/m)	1.6 / 2.82
Dimension	Field Measured	(Dia/Inches) / (Dia/mm)	8.0 / 203
Net Strand Thickness	Field Measured	(Inches) / (mm)	0.030 / .76
Net Knot Thickness	Field Measured	(Inches) / (mm)	0.055 / 1.39
Netting Unit Weight	Certified	(Ounces/ft) / (g/m)	0.35 / 32.55
Installed Free-Board Height	Field Measured	(Height/Inches) / (Height/cm)	6.5 / 16.51
Straw Fiber	Certified	Noxious Weed Free Straw	100%

Certified Weed Free by California Ag Commissioner





www.acmebag.com



www.baronbagsupply.com







www.VacOPackusa.com



(866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

ONTDOL

EROSION CONTROL



EROSION CONTROL

APPLICATIONS:

- Golf Course and Maintenance
- Embankments and Slopes
- Hydro Seeding
- Landfills
- Highway Construction
- Landscape Improvement
- Sod Stabilization
- Mining Reclamation
- Nurseries
- Industrial and Commercial Development
- Farm and Agriculture

PRODUCTS:

- Burlap 40", 72"
- Turf Reinforcement Blankets
- Jute Mesh
- Silt Fence
- Coir Logs
- Coir Matting
- Coir/Straw Blankets
- Straw Wattles
- Xcel R1 Excelsior Blanket
- Xcel S2 Excelsior Blanket
- Xcel SD3 Excelsior Blanket





www.acmebag.com











(800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacQPackusa.com

JUTE PRODUCTS





Jute is made from natural fibers of a bamboo-like plant and is rated as one of the most dependable and proven erosion products available. Jute stabilizes the soil and promotes the establishment of permanent vegetation on all types of slopes (road slopes, drainage slopes, landfill slopes, and backyard slopes, etc.) This product conforms to slope contours and surface irregularities. Jute stabilizes surface soil on slopes with thousands of tiny check dams per square yard. Utilized on 2:1 and 3:1 slopes.

JUTE PRODUCT LIST:

Item Code	Size	Weight
SOILSAVER-ROLLS	4'x225' (900 sq. ft.)	90 lb Roll

Used as an Erosion Control Blanket on Moderate Slopes

SPECIFICATIONS – JUTE MESH – SOILSAVER EROSION CONTROL CLOTH

FABRIC STRUCTURE: Woven Jute Fiber YARN: Jute (un-dyed & un-treated)

Physical Property	Test Method	Min. Average Roll Value
Yarn Count Wrap/Fill		78/42
Fabric Weight / Roll Weight		85 - 90 lb
Grab Tensile Strength Dry	ASTM D4632	300 x 175 lbs/ft
Grab Tensile Strength Wet	ASTM D4632	125 x 65 lbs/ft
Max. Elongation	ASTM D4632	10% x 10%
Open Area		65%
Flow Velocity	University Channel Test	8 fps
Permissible Shear Stress		0.45 lb/ft





(619) 429-9800

ww.acmebag.com



www.baronbagsupply.com









(866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacQPackusa.com

VACQPACK

CONSTRUCTION



APPLICATIONS:

- Golf course and maintenance
- Urban medians
- Multifamily residential driveways
- Road construction
- Irrigation projects
- Landscape improvement
- Industrial and Commercial Development

PRODUCTS:

- 6' Woven Custom Screening
- Woven Road Fabrics
- Non-Woven Filter Fabrics
- Filter and Gravel Bags
- Filter Fabrics
- Curing Burlap
- · Barrier and Safety Fence

Woven	Polyproplyene 3.2 oz - 4.8 oz
Needle Punched Non-Woven	Polyproplyene 3.5 oz - 20 oz

The following construction products are designed to be flexible, durable, highly permeable, and are specifically designed to meet the needs of construction projects by serving these key functions: soil Stabilization, soil Separation, soil Reinforcement and Drainage.





www.acmebag.com












(800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com (800) 287-2247 www.VacQPackusa.com

CONSTRUCTION "NPDES" PRODUCTS

The following products are designed to help the contractor meet National Pollutant Discharge Elimination System "NPDES" standards in implementing, and maintaining an erosion and sediment control system. Call for a copy of the latest NPDES regulations: (800) 562-6055 or (800) 287-2247

SILT FENCE



"NPDES" SILT FENCE





www.acmebag.com











(800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacQPackusa.com

SILT CONTROL

Silt fence fabrics offer a unique blend of UV resistance, strength, and hydraulic properties that make them ideal for use in sediment control application. Once fastened to wood posts and properly installed, silt fence geotextiles assist to control sediment-laden runoff from disturbed areas. These fabrics help contain

overland flow and suspended soil particles from water, preventing environmental damage to areas adjacent to construction sites. We also offer Wire backed silt fence for heavy sediment flows.



CONSTRUCTION

SILT FENCE PRODUCT LIST

Item Code	Description	Size	Weight
L-CSF10C	Commercial Silt Fence 1.25 with 10' Ct	3′ x 100′	20 lb
L-HDSF6C	Medium Grade Silt Fence 1.5 with 10' Ct	3' x 100'	23 lb
L-HDSF8C	Heavy Duty Silt Fence 1.5 with 8' Ct	3' x 100'	30 lb
L-OSF10C	Orange Silt Fence 1.5 with 10' Ct	3' x 100'	29 lb

SILT FENCE CHECKS





the Bulk Bag



(619) 429-9800

www.acmebag.com











www.sacbag.com

(800) 287-2247 www.VacOPackusa.com

VACQPACK

ORANGE BARRIER FENCE

We carry three types of orange fence to be used around areas for high visibility. Orange silt fence is used for hazardous sites in front of electrical boxes where sediment control is needed, and at the same time where the construction is being done on site.

Material:

• 100% Polypropylene, 100% HDPE

Features:

- High Visibility-Orange color
- UV treatment
- Flexible & Lightweight

Packaging:

• Each roll is packed in a clear plastic bag.



CONSTRUCTION

SPECIFICATIONS: 11.5 LB – ORANGE SAFETY FENCE 4' x 100'

Roll Size	4' x 100'
Roll Weight	11.5 lb
Mesh Size, Nominal	3.1" x 1.6" (80 mm x 40 mm)
Mesh Type	Oval
Tensiles Strength	115N/RIB-TD, 51N/RIB-MD
Color	Orange
Elongation Load at Break	20.87%/RIB-TD, 135%/RIB-MD
UV Degradation (Break Retention in Each Direction-ASTM D4355)	> 80%

SPECIFICATIONS: 14 LB – ORANGE SAFETY FENCE 4' x 100' (CALTRANS GRADE)

Roll Size	4' x 100'
Roll Weight	14 lb
Mesh Size, Nominal	3.1" x 1.6" (80 mm x 40 mm)
Mesh Type	Oval
Tensiles Strength	160N/RIB-TD, 72N/RIB-MD
Color	Orange
Elongation Load at Break	29.56%/RIB-TD, 191%/RIB-MD
UV Degradation (Break Retention in Each Direction-ASTM D4355)	> 80%















(619) 429-9800 (800) 562-6055 www.acmebag.com www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacQPackusa.com

CONSTRUCTION "NPDES" PRODUCTS

"ORANGE SILT FENCE" is designed to be used where silt fence and orange warning fence need to be placed in the same location. The "Orange silt fence" can be used around electrical areas while construction is in progress, which will prevent silt run off into the road and finally into the storm drain. "Orange silt fence" is 3' high × 100' long and has a tensile strength of 100 lb. and lasts as long as medium grade black silt fence.

WOVEN SILT FENCE FABRIC

CONSTRUCTION

Material: 100% Polypropylene

Features:

- UV Stabilization
- Orange color, Black color
- Economical Type and D.O.T. Type

Fabric Weight: 55GSM, 65GSM, 70GSM, 100 GSM, D.O.T. 108GSM

Roll Width: Up to 6'Roll Length: Up to 330 yard

Packaging: Paper core inside of each roll



TECHNICAL SPECIFICATIONS

Property	Test Method	Minimum Average Roll Value (English)	Minimum Average Roll Value (Metric)
Grab Tensile	ASTM D-4632	100 x 100 lb	0.445 x 0.445 kN
Elongation	ASTM D-4632	15% x 20%	15% x 20%
Mullen Burst	ASTM D-3786	250 psi	1723 kPa
Puncture	ASTM D-4833	50 lb	0.223 kN
Trap Tear	ASTM D-4533	50 lb	0.223 kN
UV Resistance @ 500 hours	ASTM D-4355	80%	80%
AOS	ASTM D-4751	20 - 50 sieve	0.850 - 0.300 mm
Permittivity	ASTM D-4491	0.10 sec	0.10 sec ⁻¹
Flow Rate	ASTM D-4491	8 gal / min / fit	325.6 l / min / m²





www.acmebag.com











(800) 287-2247 www.sacbag.com







NON-WOVEN FILTER FABRIC

The poor performance of load bearing structures such as road beds, retaining walls or building foundations can often be traced to the presence of subsurface water and buildup of pore water pressure. Non-woven Geotextiles can assist in the collection and removal of this potentially damaging water. Non-woven Geotextiles used at the native soil/aggregate interface also protect the drainage system from contamination by soil fines, while permitting free flow of water.

- Weed Control
- Drainage Protection
- Pipe Wrap
- Leach Field Protection
- Ground Stabilization
- Embankment Protection



CONSTRUCTION

SPECIFICATIONS - NON-WOVEN FILTER FABRIC (ROLLS & BAGS)

Properties	Standard	Unit	4 oz (135 gsm)	8 oz (270 gsm)
Material			Polypropylene	Polypropylene
Weight	ASTM D-5261	oz / sm	4.0 oz	8.0 oz
Grab Strength - MD	ASTM D-4632	n / lbs	451 n / 101 lbs	1060.41 n / 238.34 lbs
Grab Strength - CD	ASTM D-4632	n / lbs	403 n / 90 lbs	743.52 n / 167.12 lbs
Grab Elongation	ASTM D-4632	%	62 / 100	62.6 / 104
Mullen Burst	ASTM D-3786	psi	1550	3200
Puncture Strength	ASTM D-4833	n	N/A	N/A
CBR Puncture	ASTM D-6241	n	N/A	N/A
Trapezoidal Tear	ASTM D-4533	n	200	375
Opening Size	ASTM D-4751	Um	100	100
Permittivity	ASTM D-4491	Sec ⁴	1.7	1.13
Water Flow Rate	ASTM D-4491	1 / sq.mt / s	170	85
UV Resistance @ 500 hrs.	ASTM D-4355	%	80	80

Size Rolls	3'x360', 4'x360', 4'x180', 6.25'x250', 6.25'x360', 12.5'x360', 15'x300'
Size Bags	16"x24" and 18"x30"















(619) 429-9800 www.acmebag.com (800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com (800) 287-2247 www.VacQPackusa.com

WOVEN CONSTRUCTION & TRAFFIC FABRIC



The failure of an unpaved road system is often caused by the contamination of high strength aggregate materials by weaker subgrade materials. Introducing a geotextile into the system at the aggregate/subgrade interface can assist in maintaining the original aggregate thickness. In weak subgrade situations the geotextile must reinforce as well as separate. Woven Geotextiles are made from 100% polypropylene and comes with UV resistance and high tensile strength over 90 lbs and durability makes it a good choice for soil stabilization and soil separation. The Econo separation fabric is a permeable, woven, polypropylene Geotextile. It is designed for applications where soil separation is the major function and strength is not a critical factor. Nonexposure to UV is specified. The 3.4-oz and 4.8 oz can be used for light and medium road traffic and permit air and water to pass through for proper soil absorption and prevent contamination of subgrade materials causing failure. Please call for sizes and availability.

Road Construction Fabric Products:

Item Code	Description	Size	Use	Weight
L-GC12300	1510 Econo	12' x 300'	Econo Soil Separation	3 oz / 84 lb Roll
L-RCF4.812300	2022	12' x 300'	Soil Stabilization	4.8 oz / 124 lb Roll
L-RCF4.812360	2022	12' x 360'	Soil Stabilization	4.8 oz / 160 lb Roll
L-RCF6.36300	650W	6' x 300'	Soil Stabilization / Reinforcement	6.3 oz / 86 lb Roll
L-RCF6.312300	650W	12' x 300'	Soil Stabilization / Reinforcement	6.3 oz / 160 lb Roll





(619) 429-9800

www.acmebag.com



















WOVEN POLYPROPYLENE SAND BAGS



Our polypropylene Sand Bags are treated with 2000 hrs. UV resistance and made from 10×10 weave and 850 Denier. Bags are Hemmed Top mouth, single folded bottom double stitched. Bags come with a strong tie string and 1000 Bags in a Bale. These Sand Bags are available in different colors like White, Beige. Tan, Orange, Yellow and Green. Standard bags are 14" ×26" available in 5 colors. Larger 18" ×30" PP WOVEN bags come in white color.

CONSTRUCTION

Structure of 14"×26" Polypropylene Sand Bag

Poduct Code	En-SND-WPPMW14262000TIE-1
Product	PP Woven Sandbags with tie strings, 2000 hours UV stablized
Size	14" x 26"
Mesh	10 x 10
Color	Milky White
Denier	850
Тор	Hemmed
Bottom	Single Fold Double Stitched
Total Weight P/Pc	39 grams +/-5%
Printing	Unprinted – also available with custom printed
Packaging	1000 Pcs / Bale duty wrapped with PP Fabric and sewn at all ends

Structure of 18"×30" Polypropylene Bag

Poduct Code	En-SND-WPPMW18301M-1
Product	PP Woven Sandbags, 400 hours UV
Size	18" x 30"
Mesh	10 x 10
Color	Milky White
Denier	850
Тор	Hemmed
Bottom	Single Fold Double Stitched
Total Weight P/Pc	57 grams +/-5%
Printing	Unprinted
Packaging	1000 Pcs / Bale duty wrapped with PP Fabric and sewn at all ends





www.acmebag.com











(800) 562-6055 (866) 517-4699 www.baronbagsupply.com www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacQPackusa.com

BURLAP SAND BAG

Burlap Sand Bags have been used as a second defense for a long period of time in the construction industry (Burlap Sand Bags handle a heavy flow of water and filtrate particle sizes as small as coarse to medium silt .05 to .02 mm in size, depending on what material is put in the burlap sand bags). Bags come with burlap tie string and they are available in a Bale of 1000 bags.

CERTIFICATE OF COMPLIANCE AND BIODEGRADABLE (BURLAP)

As a supplier of Burlap, we certify that the material supplied will meet or exceed the following physical specifications and also meets the requirements stated on Section 20-2 materials:

CONSTRUCTION

BURLAP:

Fabric Weight 8.9 to 10 Oz per Sq. ft.

Fabric Structure W11/F12

Bag Size 14" X 26", 18" X 30" Packaging 1000 Bags in a Bale

These Burlap Bags are made of Jute Fiber which is naturally grown.







www.acmebag.com















(800) 287-2247 www.VacOPackusa.com



"SNAKE BAG"



The "Snake Bag" is designed to form a 6" gravel wattle 4' in length and weigh approximately 50 lb. when filled with 3/4" gravel. The "Snake Bag" can be used over and over again because the "Snake Bag" is heat sealed to prevent rupture and is made of a high UV mono-filament weave for strength and durability. The "Snake Bag" is designed for the first line of defense in filtration in roadways and will trap particle sizes as small as, .1 fine sand.

CONSTRUCTION

Size:11"x48", 11"x750'Fabric Structure:WovenYarn:High Density PolyethyleneColor:Green

Physical Property	Test Method	Min. Average Roll Value
Fabric Weight	ASTM D-5261	5 oz / sq yard
Grab Tensile Strength	ASTM D-1682	MD 326 lbs / TD 216 lbs
Puncture Resistance	ASTM D-4833	109 lbs
Trapezoidal Tear Resistance	ASTM D-4533	MD 141 lbs / TD 70 lbs
Mullen Burst Strength	ASTM D-3786	376 (psi)
Apparent Opening Size	ASTM D-4751	30 US Sieve No.
Constant Head Permittivity	ASTM D-4491	
Permittivity		2.35 (s-1)
Flow Rate		176 (GPM/ft2)
Permeability		0.133 (cm/s)
Seam Strength	ASTM D-4484	61.3 (ppi)
UV Resistance (@2000 hrs)	ASTM D-4355	70%





(619) 429-9800

www.acmebag.com















(800) 287-2247 www.VacQPackusa.com



GRAVEL BAGS



CONSTRUCTION

"NPDES" GRAVEL BAG SYSTEM

Our 14" x 26" monofilament Yellow Gravel Bags and 17" x 27" Orange Gravel Bags are made from high UV monofilament material. Usually these bags are needed around storm drains to protect the silt and sediment from going into the drain and allow only water to pass through to the (filter) drain.

The gravel bag with 3/4" gravel filtering acts as sediment control.



Fabric Structure: Woven

Yarn: High Density Polyethylene
Construction: 34 x 20 wrap 700 denier

Physical Property	Test Method	Min. Average Roll Value
Grab Tensile Strength	ASTM D-1682	>280F 196 lbs
Fabric Weight	D-5261	5 oz / sq yard
Mullen Burst Strength	D-751	390 lbs / in / sq
Water Flow		100 gal / ft / sq / min
UV Resistance (@2000 hrs)	ASTM D-4355, D-4632	>70%





www.acmebag.com











(800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com (800) 287-2247 www.VacQPackusa.com

CONSTRUCTION FENCING - PRIVACY SCREEN

"Privacy Fence" comes in a 6' X 300' and 6' x 50' rolls for easy installation and is knitted to prevent unraveling. The high UV material will last up to five years and has an 85% sun blockage for visibility and still allows wind to pass through the fence material. Size: 6' X 300'.

Grommets are designed for rope attachment through the "grommet hole" or rope guide.
Spacing is 2' on center.



SPECIFICATION SHEET: PREMIUM PRIVACY SCREEN

Weight	5.64 oz / sq yards
Breaking Strength	Wrap: 91 lbs / Fill: 152 lbs
Breaking Elongation	Wrap: 53% / Fill: 58%
Tear Strength Trepizoid (lbs)	Wrap: 42 lbs / Fill: 65 lbs
Bursting Strength (psi)	227 psi
Size: Rolls – No Grommets	6' x 300'
Panels – Grommeted 2'	6' x 50'
Color: Rolls	Green & Tan
Panels	Green & Tan

POLY ETHYLENE SHEETING

Polyethylene Sheeting is used to protect barren slopes from erosion before and after rainfall. Used only as a temporary solution until permanent erosion control methods can be applied.

Available in Clear & Black: 20' x 100' x 6 Clear / Black 20' x 100 x 10 Clear / Black















(619) 429-9800 (800) 562-6055 www.acmebag.com www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com (800) 287-2247 www.VacQPackusa.com

BASIN BAGS

The BASIN BAG™ is designed for catch basin protection. It is reliable, economical and easy to maintain. The BASIN BAG™ is made with a monofilament polypropylene which has a high tensile strength, and a high water flow for filtering sediment. The BASIN BAG™ allows storm water to pass through while retaining silt and sediment within the bag interior The Product is designed to be installed as one unit into the catch basin with the BASIN BAG™ attached to the grate. They come in various sizes and can be custom made to fit local grate size.

DRAIN DOUGHNUT

CONSTRUCTION

The DRAIN DOUGH NUT is designed for filtration on catch basin grates. It is manufactured with a flood level by-pass thus allowing water to overflow directly into the catch basin. The filter is produced from a foam rubber doughnut.

The person can use this filter for high woven polypropylene or non-woven polypropylene fabric. This fabric allows storm water to pass through while holding back the sediment and silt from going into the storm drain.

The storm water must pass through the filter to enter the catch basin. This filter goes over the basin grate thus blocking unfiltered water.

Installation:

- Wrap the edges of the filter round the rim of the grate.
- Tie the edges in place by pulling the cord through the brass grommets.
- Drop the filter and grate back into the basin.

For additional information please contact Larry at Baron Bag Co (800) 562-6055.

DEWATERING BAGS



DESCRIPTION

Non-woven filter fabric 6oz. 3' x 4', 4' x 6', 6' x 6' and 6' x 10'





(619) 429-9800

www.acmebag.com











(800) 287-2247 www.sacbag.com



(800) 287-2247 www.VacOPackusa.com



LANDSCAPE

LANDSCAPE

LANDSCAPE APPLICATIONS:

- Golf Course and Maintenance
- Urban Medians
- Multi-family Residential
- Single-family Dwelling
- Irrigation Projects
- Landscape Improvement
- Nurseries
- Industrial and Commercial Development
- Farm and Agriculture
- Designed for Weed Suppression, Soil Separation and Drainage

Woven	Polyprop 3.25 oz
Needle Punched Woven	Polyprop 4.7 oz
Spunbond Non-Woven	Polyprop 2 oz
Needle Punched Non-Woven	2 oz - 4 oz
Wire Products	Staples 6", 9"


PRODUCTS:

- Gardener Sheets 7'x7' Burlap
- Gardener Sheets 7'x7' Poly
- Woven Ground Cover
- UV Spunbond Polypropylene
- Non-Woven Spunbond Polyester
- Erosion Staples

Woven Groundcover	Polyprop 3 oz - 5 oz
Non-Woven Groundcover	2 oz - 3.5 oz
Non-Woven Crop Protection	.5 oz - 1.5 oz
Woven Shade Cloth	30% - 95% shade
Knitted Shade Cloth	Light to extra heavy shade

LANDSCAPE PRODUCTS

SPUNBOND GROUND COVER



WOVEN GROUND COVER





www.acmebag.com











(800) 287-2247 www.sacbag.com



(800) 287-2247 www.VacOPackusa.com



LANDSCAPE PRODUCTSBurlap and Polypropylene Tarps

Burlap and Poly Sheets: Burlap and polypropylene tote sheets are used to handle yard debris, grass clippings, exportable used clothing, and just about anything that would need hauling. Rose growers use the burlap sheets to fold away thorny clipping without the hassles of the thorns. Used clothing exporters use poly sheets in their bailing operations, together with strapping, to create 100# bales.

BURLAP AND POLY SHEETS

Item Code	Material	Length / Width
BURSHEETS-7'x7'	Burlap	80" x 80"
POYLSHEET-7'x7'	Poly	80" x 80"

LANDSCAPE



WOVEN GROUND COVER

Our premium **Weed Lock** and woven groundcover is made from 100% polypropylene and comes with UV resistance for long term exposure to the sun. 98% blockage of light makes it suitable for the weed control problems and high tensile strength over 90 lb. and durability make it a good choice for soil separation. Woven ground cover permits air and water to pass through for proper soil absorption and is easy to install. With a green stripe every 12" the **Weed Lock** 3.25 oz. make these products ideal for planting layouts on a hillside or plant alignment in container yards for proper watering procedures.








NURSERY & AGRICULTURAL PRODUCTS

WOVEN & NON-WOVEN GROUND COVER

The woven and non-woven ground cover fabrics prevent weed growth and allow air to circulate. Thus, soil is not soured and roots are protected from spread of fungus and bacteria. The non-woven has high flow rates for areas that need rapid water movement from the growing material.



SPECIFICATION SHEET ITEM: WOVEN GROUND COVER 3.2 oz

Property	Test Method	Min. Average Roll Value
Grab Tensile Strength	ASTM-D 4632	110 lbs
Grab Elongation	ASTM-D 4632	15%
Puncture	ASTM-D 4833	40 lbs
CBR Puncture Strength	ASTM-D 6241	250 lbs
Trapezoidal Tear	ASTM-D 4533	45 lbs
Mullen Burst	ASTM-D 3786	125 psi
UV Resistance @ 500 hours	ASTM-G 154	70%
Apparent Opening Size AOS	ASTM-D 4751	40 sieve
Permittivity	ASTM-D 4491	0.05 ^{sec-1}
Flow Rate	ASTM-D 4491	4 gpm/ft2
Roll Size	3' x 300'	21 lbs
Roll Size	4' x 300'	27 lbs
Roll Size	5' x 300'	43 lbs
Roll Size	6' x 300'	43 lbs
Roll Size	12' x 360'	85 lbs

LANDSCAPE





www.acmebag.com











(800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com (800) 287-2247 www.VacQPackusa.com

SPUNBOND FILTER FABRIC

Spunbond fabric is commonly used as a soil separator, filter fabric, or weed barrier. Spun bond material has a high flow rate as much as 76 gallons per minute per square foot that makes it good for filter/separator to stop soil from escaping around retaining walls joints or pavement applications. Spun-bond works as a weed suppressant because it provides an even, dense surface that impedes weed growth from below the fabric and retards weed penetration above the fabric. Our spun-bond fabric value has a UV additive, which enables it to last longer than other filter fabrics.



TYPICAL PHYSICAL PROPERTIES

LANDSCAPE

Property	Value	Units
FVNA Internal oz/yd2	2.06	oz/yd2
Basic Weight g/m2	70	g/m2
ASTM-D 5034	58/55	Lbf
Grab Tensile Strength (MD/TD)	260/245	N
ASTM-D 1117	25	Lbf
Trapezodial Tear Strength (TD)	110	N
ASTM-D 1777	14	Mils
Thickness	0.35	mm
ASTM-D 3786 Bursting Strength	105	psi
ASTM-D 737 Air Permeability	720	Cfm

SPUNBOND FILTER FABRIC PRODUCT LIST

Size	Weight
3' x 300'	2 oz / 13 lb roll
4' x 300'	2 oz / 18 lb roll
6' x 300'	2 oz / roll
3' x 50'	2 oz / roll





www.acmebag.com











(800) 287-2247 www.sacbag.com



(800) 287-2247 www.VacOPackusa.com



WIRE PRODUCTS

We stock Sod Staples and Galvanized Staples of various gauges. Used to install Erosion Control Cloth (Soil Saver) Blankets and used in the Landscaping and Agricultural Industries for drip irrigation.



WIRE PRODUCTS – SOD STAPLES ALSO AVAILABLE GALVANIZED

Gauge	Length	Staples per Box
11	6"	10 / 100 packs
11	6"	1000
11	9"	1000
10	6"	10 / 100 packs
9	6"	500

Other sizes available upon request.

LANDSCAPE

WOOD STAKES



FOR STRAW WATTLES:

Size: 1" ×1" ×18" other sizes available Qty. 50 per bundle/1600 per pallet Recommended: 8 stakes/wattle

FOR SILT FENCES:

Size: 1" ×2" ×48" other sizes available Qty: 50 per Bundle/800 per pallet Recommended: 6', 8' & 10' apart according to need.





www.acmebag.com











(800) 562-6055 www.baronbagsupply.com

(866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com (800) 287-2247 www.VacQPackusa.com

BULK BAGS • FIBC • SUPERSACKS • 1 TON TOTES

The most economic and versatile way of packaging and transporting large 1 ton packages of bulk goods locally, interstate or overseas, safely using the existing transport structures of Road, Rail or Ocean freight.



All of ACME Bag Co Inc.'s companies inventory and supply quality bulk bags for their clients within their jurisdiction.

The Bulk Bag Company entity, has a special function in that it reaches across all regions of the United States, Canada and South America.

Our bulk bag staff are experts at providing customers with advice and guidance on what Bulk Bag product you will need to package your bulk product.

Bulk bags are three-dimensional. The general foot print size is $35 \times 35 \times 10^{-2}$ height required. Most Bulk bags hold 2205 - 3300 lb. of product, although some can hold more or less depending on bag specifications.

All of our bags are made of 100% virgin resins, that are food contact grade quality. Testing is done to ensure that a safety factor of 5:1 is met during the production cycle.

Full Quality Assurance Certifications are available for 3rd party quality assurance audits and food safety program compliance.

Buy Bulk bags with peace of mind when you buy from us.

BULK BAGS































(619) 429-9800 vww.acmebag.com

(800) 562-6055 www.baronbagsupply.com

(866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacOPackusa.com

BULK BAGS • FIBC • SUPERSACKS • 1 TON TOTES

Buyers Tips:

Be wary of shoddy substitutes and know that the quality and crafting of a Bulk bag can vary tremendously. With 30 years of experience, our knowledgeable staff know what's what, and can show you what to look for.

Ask for a referral or two. A good supplier will only be too glad to give you a long list of folks to call in order to vouch for their great service and products.

Construction Options:

- U-panel
- Sling
- Circular Ventilated

Circular Material:

- 5 oz. (white, beige) up to 2,200 lb.
- 6.5 oz (white, black, green, beige) up to 4,000 lb.

U-Panel:

- 5 oz (white, beige) up to 2200 lb.
- 6.5 oz (white, black, green, blue, beige) up to 4,000 lb.
- 8 oz. (white) up to 4,500 lb.

Lifting Loops:

- Polypropylene loops
- Polyester loops
- Stand up loops
- Most colors available
- Stevedore (polypropylene and rope style)
- 2 loop (for center pickup)
- Sleeve lift

Additional Options:

- Laminated or coated fabric
- Polyethylene liners
- Rope locks

- Sift proof designs
- Document pouches
- · Logo and or printing options
- UN Certification for class 2 & 3 hazardous materials
- Clean room manufacturing BRC ISO Food Grade Standard (for guaranteed contaminate-free bags)




















www.acmebag.com











(800) 562-6055 www.baronbagsupply.com

(866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacOPackusa.com

www.bwi-1.com

BULK BAGS

Bulk bags are a cost effective way of storing and shipping dry flowable bulk commodities. We keep a large inventory of common sizes and options ready for shipment at all times. In stock inventory ranges from 35x35x25" to 72" in a variety of safe working loads.





CUSTOM BAG OPTIONS

We have several custom bag options available. We have 5 to 8 oz. coated and uncoated fabric that has up to a 4,000 lb. safe working load capacity.

We carry seamless, Upanel and baffle construction bags that can be designed with spouts, duffle tops, and bag printing.

Liners are available in standard, fitted, loose, glued or tabbed-in form. UN certification of hazardous material bags are also available for your specific needs.

BULK BAGS















www.acmebag.com



(800) 562-6055 www.baronbagsupply.com



(866) 517-4699 www.thebulkbagcompany.com



(800) 287-2247 www.sacbag.com



(800) 287-2247 www.VacOPackusa.com



BULK BAGS

What Industries use Bulk Bags?

Agriculture Harvests, Animal Feed, Alfalfa, Chemicals, Fertilizers, Fiberglass, Food Products, Grains, Shotcrete, Construction Materials, Sand, Gravel, Pigments, Plastics, Refractory Materials, Seeds, Peanuts, Almonds, Pistachio, Starch, Coffee, Tea, Spices.

Typical Sizes of Bulk Bags per Capacity:

Capacity	Size (empty)	Size (арргох. filled)	BULK BAG TYPES O	F TOPS AND BOTTOM	CONFIGURATIONS
10 cu. ft.	29×29×20	36×36×16	9	9	1000
15 cu. ft.	29×29×28	36×36×24	4	4	V 0
20 cu. ft.	35×35×25	44×44×21			
25 cu. ft.	35×35×30	44×44×26			
30 cu. ft.	35×35×35	44×44×26	/	7	/7
35 cu. ft.	35×35×40	44×44×36			
40 cu. ft.	35×35×45	44×44×41	Open Top	Open Top	Filling spout
45 cu. ft.	35×35×50	44×44×46	Flat Bottom	Discharge spout	Flat Bottom
50 cu. ft.	35×35×55	44×44×51	/: / .		
55 cu. ft.	35×35×60	44×44×56			• •
60 cu. ft.	35×35×65	44×44×61		9	
65 cu. ft.	35×35×70	44×44×66			Y
70 cu. ft.	35×35×75	44×44×71			
75 cu. ft.	41×41×59	51×51×55	J	J	J
80 cu. ft.	41×41×63	51×51×59			
85 cu. ft.	41×41×66	51×51×62	Skirt Top	Skirt Top	Filling Spout
90 cu. ft.	41×41×70	51×51×65	Flat Bottom	Discharge spout	Discharge spout
95 cu. ft.	41×41×73	51×51×69			Circina ye speak

Footprint sizes for different transport modes:

41×41×75

100 cu. ft.

29×29 - for high density products requiring smaller bags or smaller payload requirements. Often used in rail shipments - 3 across.

51×51×71

35×35 - this is the most common length & width because of its intermodal capability. It is used with truck shipments or containerized ocean freight going to across, maximizing trailer capacity. It also fits on most standard pallets.

41×41 - excellent for rail shipments. Can go two across in rail car. Also, wide bag is advantageous when height restriction is encountered. Especially useful when large volume of material goes in bag. Will not go two across in a truck.











BULK BAGS





www.acmebag.com











(800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com

(800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacQPackusa.com

BURLAP BAGS

Burlap bags for agriculture and produce packaging.

Sizes: 20"X32", 20"X36", 22.5"X36", 25.5"X38" and 24"X40"

Available in 7oz, 8.9 oz and 10 oz. 10 x10 weave

- Food Grade
- Strong Bags to fill 25LB to 100 LB
- · For use in various industries like
 - Potato, Onion, Grain, Packaging
 - Fishing Sacks
 - Rebar Bags
 - And a variety of industry uses



POLYPROPELYNE (PP WOVEN) BAGS

Polypropelyne bags for agriculture packaging.

PP tubular woven bag, heat cut/ hemmed top, single folded bottom with double stitched, roughweave, tolerance +2/-1cm in length and width, +/-5% in weight, packing; flat packed bale of 1000 pcs bag.



Sizes:

21x34"

23"x36"

24"x40"

26"x40"

29"x40"

- 10X10 weave
- 850 denier
- no uv/no tie

Weight:

74 grams per piece 78 grams per piece 83 grams pier piece

























(619) 429-9800 www.acmebag.com (800) 562-6055 www.baronbagsupply.com

(866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com (800) 287-2247 www.VacQPackusa.com

LENO MESH BAGS / PRODUCE BAGS

Leno Weave (also called Gauze Weave or Cross Weave) is a weave in which two warp yarns are twisted around the weft yarns to provide a strong yet sheer fabric. The standard warp yarn is paired with a skeleton or 'do up' yarn; these warp yarns grip tightly to the weft which causes the durability of the fabric. Leno weave produces an open fabric with almost no yarn slippage or misplacement of threads.

USES

Leno weave fabric allows light and air to pass through freely so they are used in packaging where a sheer, open weave fabric is required that will not bruise product during handling and transport.

Available with 5" and 8" Plain Band, with or without printing, with draw cord.

To fill 5lb, 8lb, 10lb, 25lb & 50lb of product, e.g. Citrus produce such as, Lemons, Oranges, Limes, and Mandarins. Vegetables such as Onions, Potato, Garlic, etc., and the many other fruits & vegetable items that require this method of packaging.

MESH BAG

Material: Polypropylene

Features:

- · Black woven drawstring
- Single or double corner sewn
- Printed label (optional); up to 4 color-printing per side
- Food Grade (optional)
- Color: orange, blue, green, yellow, red, etc.

Specifications:

Width	Length	Mesh Opening
10mm / 60mm	Customized	Close, Medium and Open Mesh

Packing: 2000pcs/bale






























(619) 429-9800 (800) 562-6055 www.acmebag.com www.baronbagsupply.com

(866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

www.VacQPackusa.com

SPECIALTY BAG PRODUCTS

Home and Work - Utility Bag Series:



FLOOD PROTECTION KIT

Here's a new innovative idea for the home owner. The emergency flood protection kit, a simple solution for the home or business owner to help protect property against damage caused by flooding. This kit, along with a pack of 50 sand bags, are a must for every home, business and building against the threat of heavy rains and flooding.

Our Emergency Flood Protection Kit, is easy to use with no assemble needed.

The Kit consists of: (1) Flood Protection Barrier bag, (15) sand bags, (1) heavy duty poly sheeting

Instructions for use:

- Open Package
- Unfold the poly sheeting and place over the front of doorway/ entrance way
- Unfold the Flood barrier bag and place it on top of the Poly sheet
- Fill sand bags with sand or gravel
- Place 3 x sand bags, length way, into the Flood Barrier bag, to secure it in place
- Place a sand bag at each end of the poly sheet to secure each end
- Depending on flooding potential, place another 1,2 or 3 tiers of sand bags inside the Flood barrier bag making a total of 3 x sand bags 4 high (12 bags) total inside the Flood protection bag

SAND BAG 50 KIT

Sand bags are always useful. They protect, they control and they're always needed when you don't have them handy.

The perfect handy pack of 50 qty., 14×26 sand bags with ties, 1600hr UV protection.

Keep handy in your garage, on the job or on your truck.



SPECIALTY PRODUCTS







www.baronbagsupply.com









(619) 429-9800 ww.acmebag.com

(866) 517-4699 w.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

www.VacOPackusa.com

SPECIALTY BAG PRODUCTS

Home and Work – Utility Bag Series:

MY RECYCLE BAG

Usage

- Keeps your recycling neat and Organized
- 4 x compartments for cans, glass bottles, plastic bottles, and paper
- Can be used with standard 10 gal trash can liner
- Use more than one bag to separate out recyclables as needed
- Great as a fund raising tool for Churches, Schools and Clubs, with members participating in recycling programs that benefit their organization.


Features

- A sizeable 40" long x 30" width x 20" tall
- Made from Heavy Duty Industrial fabric
- Versatile lifting loops will fit standard forklift blades, if lifting is needed
- Can be washed clean and folded up after use
- UV Coated with Ultra Violet light inhibitors to extend bag life and usefulness
- Packaged in the USA
- This product directly supports **Disabled Workers of America**
- 100 percent recyclable



Maintenance & Care

- Take care to store or cover bag from extended direct sunlight
- Do not attempt to lift a loaded bag of material if it is ripped, torn or is damaged in any way
- Multiple heavy duty usage will eventually wear the bag out, reduce its usefulness and strength
- This bag is rated to lift maximum of 500lb when new



SPECIALTY PRODUCTS













www.VacOPackusa.com



(619) 429-9800 www.acmebag.com (800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com

.....

www.sacbag.com

SPECIALTY BAG PRODUCTS

Home and Work - Utility Bag Series:

MY YARD BAG

Usage

- Keep your yard clean and organized
- Lawn clippings, leaves and the Kids toys
- Good for hauling construction debris, leaves, compost
- Good for transporting building or garden materials, rock, sand, soil material
- Prevents bulk materials of sand, soils and decorative rock from falling from your pickups truck bed
- Use more bag than one to separate out different tools or materials

Features

- A sizeable 40" long x 30" width x 20" tall
- · Made from Heavy Duty Industrial fabric
- Versatile lifting loops will fit standard forklift blades if needed
- Can be washed clean and folded up after use
- UV Coated with Ultra Violet light inhibitors to extend bag life and usefulness
- Packaged in the USA
- This product directly supports Disabled Workers of America
- 100 percent recyclable


Maintenance & Care

 Take care to store or cover bag from extended direct sunlight

 Do not attempt to lift a loaded bag of material if it is ripped, torn or is damaged in any way

 Multiple heavy duty usage will eventually wear the bag out, reduce its usefulness and strength

This bag is rated to lift maximum of 500lb when new



SPECIALTY PRODUCTS















(619) 429-9800 www.acmebag.com

(800) 562-6055 www.baronbagsupply.com

w.thebulkbagcompany.com

www.sacbag.com

www.VacOPackusa.com

SPECIALTY BAG PRODUCTS

Home and Work – Utility Bag Series:

CONTRACTOR'S CONSTRUCTION BAG

Usage

- Keep your Pickup and Truck bed clean and organized
- Good for hauling construction debris
- Good for building materials, rock, sand, soil
- Prevents tools and materials from rolling around the truck bed
- Use more than one to separate out different tools or materials

Features




• A sizeable 40" long x 30" width x 20" tall Made from Heavy Duty Industrial fabric

 Versatile lifting loops - will fit standard forklift blades

- Can be folded up after use
- UV Coated with Ultra Violet light inhibitors to extend bag life and usefulness
- Packaged in the USA
- This product directly supports **Disabled Workers of America**
- 100 percent recyclable





Maintenance & Care

- Take care to store or cover bag from extended direct sunlight
- Do not attempt to lift a loaded bag of material if it is ripped, torn or is damaged in any way
- Multiple heavy duty usage will eventually wear the bag out, reduce its usefulness and strength
- This bag is rated to lift maximum of 500lb when new

SPECIALTY PRODUCTS

20"





www.acmebag.com











(800) 562-6055 www.baronbagsupply.com (866) 517-4699 www.thebulkbagcompany.com (800) 287-2247 www.sacbag.com

(800) 287-2247 www.VacQPackusa.com

SPECIALTY JUTE PRODUCTS



JUTE BAGS:

- Picnic Totes
- Wine Totes
- Shopping Totes

Options

- Printing up to 3 colors
- Soft handle or Cane handle
- With or without window
- 100% biodegradable

NURSERY PRODUCTS:

- Planter Pots
- Planter Trays
- Decorative Planters

OTHER JUTE PRODUCTS:

- Rope
- Twine







SPECIALTY PRODUCTS

CERTIFICATE OF MEMBERSHIP

This certifies that

THE BULK BAG COMPANY

is a member of the

FLEXIBLE INTERMEDIATE BULK CONTAINER **ASSOCIATION (FIBCA)**

for the year of



2025

Lewis Anderson FIBCA Executive Director



Acme Bag Company, Inc.



dba Sacramento Bag Manufacturing Company; Baron Bag and Erosion Supply, The Bulk Bag Company

* Nationally certified by the: SOUTHERN CALIFORNIA MINORITY SUPPLIER DEVELOPMENT COUNCIL

*NAICS Code(s): 424990

* Description of their product/services as defined by the North American Industry Classification System (NAICS)

Issued Date 11/01/2025 09/13/2024

NMSDC CEO and President Ying McGuire

Expiration Date

Certificate Number

SC33416

Virginia Gomez, President

By using your password (NMSDC issued only), authorized users may log into NMSDC Central to view the entire profile: http://nmsdc.org

Certify, Develop, Connect, Advocate.

 * MBEs certified by an Affiliate of the National Minority Supplier Development Council, Inc. $^{\circledR}$



IS PROUD TO BE PARTNERS WITH





South Saint Paul, MN	800-798-9473
Morganton, NC	828-584-3334
Perry, OH	800-777-5030
(Austin) Texas	512-290-2655
McMinnville, TN	877-383-4001
Nashville, GA	229-686-1815
Wauconda, III	651-373-9949
Lakeland, FL	912-383-5963
Nunica, MI	616-384-2431
OBC Northwest Canby, OR	800-477-4744

www.cherokeemfg.com

BUILDING ON A TRADITION OF QUALITY, INTEGRITY AND INNOVATION



(619) 429-9800 www.acmebag.com



(800) 562-6055 www.baronbagsupply.com



(866) 517-4699 www.thebulkbagcompany.com



(800) 287-2247 www.sacbag.com



(800) 287-2247 www.VacQPackusa.com



(877) 720-6229 www.bwi-1.com

